

Walk-Behind Scrubbers

Available with ecoflex system







Smart cleaning.



A wrap-around safe paddle system makes it easier to control and maneuver the machine.



Tools-free removable brushes can be easily changed.

Easy-to-use, One-Touch[™] control panel:





Easy access rear-port features include the solution tank fill, a large recovery drain hose with pinch-flow regulation, and the solution drain hose which also functions as a solution level indicator.

Adfinity[™] with EcoFlex[™] System

Walk-Behind Scrubbers

Flexible cleaning on a compact platform.

The Advance Adfinity[™] with EcoFlex[™] System is the mid-sized scrubber that could. An easy-to-maneuver platform, cylindrical scrub deck and traction-drive operation let the Adfinity keep up with bigger machines and make it a crafty solution for cleaning hard floors. Adfinity's EcoFlex System offers One-Touch[™], flexible scrubbing modes to take on any cleaning challenge.

Ideal applications include:

- Routine scrubbing
- Ultra-light to heavy scrubbing
- Entryway cleaning
- Spill cleanup
- Grease removal
- Grout and porous-surface cleaning
- Detergent residue removal (using water only)

ecoflex system

Green

EcoFlex elevates green cleaning to a new standard – one that promotes good health and hygiene in addition to environmental sustainability. Efficient operation reduces all of the environmental impacts in cleaning from the obvious (water, detergent) to the not-so-obvious (machine run-time and energy use).

Clean

Maintaining a clean, healthy indoor environment for you and the people in your building is hassle-free with EcoFlex. Detergent use, pad pressure and flow rate are right at your fingertips. Operators won't have to hesitate to make adjustments for higher sanitary standards, different surface types or unexpected cleaning challenges.

GREEN POWER GREEN GREEN

LOW-TRAFFIC AREA DIRTY ENTRYWAY HIGH-TRAFFIC HALLWAY POROUS FLOOR

Cost-efficient

Flexibility means doing more with one machine. You'll save time, use fewer machines, and reduce water and detergent costs. Today's increasing demands for cost efficiency are tough to meet. Now you can do more with less.



lodels	Adfinity [™] X20C
Scrub Head Type	Cylindrical with
	debris hopper
Deck Interchangeability	All deck types interchangeable
Scrub Path	Dual 20 in (50.8 cm)
	cylindrical brush system
Drive System	0.3 hp (200 W) variable forward and reverse
	Max speed 3.5 mph (5.6 km/hr), 16% gradeability
lax Productivity	26,400 ft ² (2,453 m ²)
2 3.0 mph (4.8 km/hr)	20,400 ((2,455))
crub Pressure (2 settings)	
Floating	57 lb (26 kg)
Locked	57 ID (20 KG)
crub Head Speed	570 rpm
olution Flow Rates	5701011
Smart Solutions™	0.15 gal/min (0.55 L/min)
variable up to	0.3 gal/min (0.3 L/min)
queeqee Width	29.9 in (75.9 cm)
vimensions (w/o squeegee)	L = 49.2 in (125 cm)
Dimensions (w/o squeegee)	W = 22.4 in (57 cm)
	H = 42.9 in (109 cm)
Veights	11 = 42.3 III (103 CIII)
Without batteries	247 lb (112 kg)
With batteries	362 lb (164 kg)
oltage	24 V
ower Source	(2) 12 V batteries (wet-acid and maintenance free available)
Inboard Battery Charger	24 V wet/maintenance free compatible
olution Tank	14.5 gal (55 L)
ecovery Tank	14.5 gal (55 L)
crub Motor(s)	(2) 0.54 hp (400 W)
acuum Motor	0.44 hp (330 W)
ound Level	65.8 dB A at operator's position
	ETL, CSA, CE
ertification	
Part Number	
	56317332 w/98 Ah gel batt.

Specifications are subject to change without notice.



Accessories and options:

- Variety of scrub brushes
- Polyurethane squeegee blades
- Integrated solution fill hose
- Hour meter kit
- Wet pick-up wand kit

• Scrub and vac kit

• 20 inch cylindrical deck kit

9435 Winnetka Avenue North Brooklyn Park, MN 55445 www.advance-us.com Phone 800-214-7700 Fax 800-989-6566

240 Superior Boulevard Mississauga, Ontario, Canada L5T 2L2 www.nilfisk-advance.com Phone 800-668-8400 Fax 800-263-5111





www.advance-us.com/industrial

Ask about our leasing options.

©2015 Nilfisk, Inc. Form L3227A 7-16-15