

Commercial Equipment

- Defining Cleaning Innovation



- Upright Vacuums
- Canister & Specialty Vacuums
- Extractors / Carpet Equipment
- Sweepers
- Floor Machines
- Burnishers

- Automatic Walk-Behind Scrubbers
- Stand-On Scrubbers
- Rider Scrubbers
- Wet/Dry Tank Vacuums
- All-Purpose Cleaners
- Specialty Products

Upright Vacuums



ReliaVac® 12 & 12DC

Single-motor Upright Carpet Vacuums

- 12 inch path is cleaned with a durable steel brush roller
- ReliaVac® 12 top fill bag enhances vacuum power
- ReliaVac® 12 DC model has an easy to empty dirt cup
- Removable clear fan cover allows for identifying and removing clogs



VU500™ Series

Single-motor Upright Carpet Vacuums

- 11.5 or 14.5 inch cleaning path
- Powerful 1,000 Watt, 2-stage motor
- Automatic self adjusting brush height
- Advance radius turning system permits quick, short turns in tight places
- Certified H.E.P.A. filtration standard
- Innovative quick cord clip for simple cord management
- Detachable power cable for quick service
- Accessories are conveniently tucked behind wand
- Sealed, maintenance-free cog belt
- CRI Certified SILVER



ReliaVac® 12HP & 16HP

Single-motor Upright Carpet Vacuums

- 12 or 16 inch cleaning path
- High performance cleaning power with the aluminum brush roller
- Replaceable bristle strips and beater bars for versatile cleaning
- Removable clear fan cover allows for identifying and removing clogs
- Headlight illuminates work area



Spectrum™ 15D & 18D

Dual-motor Upright Carpet Vacuums

- 14.5 or 17.5 inch cleaning path
- Separate vacuum and brush motors for a powerful performance
- 1,350 Watts of power with combination of independent brush and vacuum motors
- Adjustable brush height with low brush height indicator light
- Certified H.E.P.A. filtration standard
- Tools-free removable brush
- Heavy duty cord restraint
- Convenient front handle for lifting
- Accessories are conveniently tucked behind wand
- Sealed, maintenance-free cog belt



Spectrum™ 12P & 15P

Single-motor Upright Carpet Vacuums

- 11.5 or 14.5 inch cleaning path
- Powerful 1,000 Watt, 2-stage motor
- Adjustable brush height
- Certified H.E.P.A. filtration standard
- Tools-free removable brush
- Heavy duty cord restraint
- Convenient front handle for lifting
- Accessories are conveniently tucked behind wand
- Sealed, maintenance-free cog belt



CarpeTrier™ 28

Large Area Upright Carpet Vacuum

- 28 inch cleaning path allows for increased productivity
- Dual vacuum motors provide generous pickup power
- Large 1 bushel capacity cloth bag is standard
- Carpet brush propels the machine, minimizing operator fatigue



Spectrum™ 12H

Single-motor Upright Carpet Vacuum

- Designed for the hospitality market
- 33 foot detachable gray cord
- Non-marking tear-resistant bumper
- 11.5 inch cleaning path
- Powerful 1,000 Watt, 2-stage motor
- Adjustable brush height
- Certified H.E.P.A. filtration standard
- Tools-free removable brush
- Two heavy duty cord restraints
- Convenient front handle for lifting
- Accessories are conveniently tucked behind wand
- Sealed, maintenance-free cog belt



All Advance Commercial Upright Vacuums have achieved CRI (Carpet & Rug Institute) Seal of Approval.

Canister and Specialty Vacuums



VP300™

Canister Vacuum

- 900 Watt motor
- 69 dB A sound level
- Filter basket standard for bagless operation
- Three levels of filtration standard
- 33 foot cord, rotating dust brush and crevice tool stored onboard
- Telescopic aluminum wand optional
- CRI Certified SILVER



Adgility™

Backpack Vacuum

- Lightweight at only 6.4 pounds
- Powerful 1,000 Watt motor generating 100 CFM and 96 inches of waterlift
- Three levels of filtration standard, H.E.P.A. filter optional
- 50 foot (15 m) safety yellow power cord for long cleaning reach
- Includes 12 inch combination floor tool, dust brush, crevice tool and six dust bags



VP600™

Canister Vacuum

- Extra efficient 800 Watt motor
- Foot activated on/off switch
- Sound pressure Normal 47 dB A / Power Boost 54 dB A
- Three stage filtration with H13 H.E.P.A. exhaust filter standard
- 2.6 gal (10 L) container
- Passive floor tool for both hard and soft floors
- Easy-access magnetic closing lid
- 33 foot cord, dust brush and crevice tool stored onboard
- CRI Certified BRONZE



Adgility™ 6XP & 10XP

Backpack Vacuums

- Comfortable, lightweight design
- Powerful 1,300 Watt motor
- Premium harnessing system
- Quiet 62 dB A sound level
- Cord restraint clips onto the safety cord and holds it in place
- Exhaust port directs warm air up and away from the operator
- SaniSeal™ self-sealing adhesive rim on bag seals to contain all dust and dirt
- Four levels of filtration, H.E.P.A. filter optional
- CRI Seal of Approval



Euroclean GD930

Canister Vacuum

- 1,000 Watt, 1.25 hp motor
- 66 dB A sound level
- Three levels of filtration standard
- Optional H.E.P.A. filtration
- 4 gallon (15 L) dust collection bag
- Injection molded cover
- Durable chrome plated steel tank
- Dual mode floor tool
- Foot operated on/off switch
- Waterlift 89 inches
- Air flow 67 CFM
- Standard tools include a combination brush/nozzle, 6 foot suction hose, dual mode floor tool, two piece wand and crevice tool.
- CRI Certified SILVER



Extractors



AquaClean® 12ST

Self-Contained Extractor

- Single nozzle spray system allows for even coverage over the cleaning path
- 5 gallon solution tank
- 12 inch cleaning path
- Single spray jet technology allows for even coverage over cleaning path



ET700™

Heated Portable Extractor

- 12 gallon solution tank
- 10 gallon recovery tank
- Dual 5.7 inch, 3-stage vacuum motor
- 200 inch waterlift
- 50-500 psi
- 2,000 Watt heater
- In-line heater element
- Smart circuit locator
- AquaWand™ standard
- Low moisture system
- Day-time-quiet operation
- Upright dolly design for easy stair climbing
- Wand caddy for easy transport



ES300™ ST/XP & ES400™ XLP

Self-Contained Extractors

- CRI Gold SOA Approved (all models, all modes)
- 1.5 hp, 3-stage vacuum motor, 120 inch waterlift
- LIFT™ Technology for low-moisture cleaning
- Deep Treat™ cleaning for pre-spray and post cleaning treatment
- Adjustable handle for maneuverability in tight spaces
- Brush and vacuum shoe removal without tools
- Laminar flow vacuum shoe for constant acceleration and superior water recovery
- Front mounted drain hose
- Removable tank with stowable handle
- 50 foot detachable (15 m) safety yellow power cord
- Integrated hand tool



AquaPLUS™ AXP™

Carpet Extractors

- AXP™ Onboard Detergent Dispensing System
- LIFT™ Technology for low-moisture cleaning
- One-Touch™ operation
- Deep Treat™ cleaning for pre-spray and post cleaning treatment



EX610™ 100H

ET610™

Portable Extractors

- 12.5 gallon solution tank
- 11 gallon recovery tank
- Single 5.7 inch, 3-stage vacuum motor
- 140 inch waterlift (100SC and 100H)
- 1,100 Watt heater (100SC) 1,750 Watt (100H)
- Cold water extractor (100C)
- Ergonomic design
- 12 inch stainless steel wand standard (AquaWand™ optional upgrade)
- Wand caddy for easy transport
- Unique transport handle design
- Easy-fill solution tank
- Low moisture / environmental footprint reduction system



ES4000™

Rider Sweeper Extractors

- Total Carpet Care System
- 28 inch cleaning path
- 28 gallon solution and recovery tanks
- 4 cleaning modes – Dry-Sweep, Interim, Pre-Treat, Restorative
- Onboard open chemical system
- Brushes and vacuum shoes are removable without tools
- Superior 63 inch (160 cm) turning radius
- 65 dB A sound level

Dryer, Flood Restoration Equipment & Sweepers



AM2400D™

Air Mover

- Three speed settings
- 2,000 / 2,200 / 2,400 CFM
- Four angle settings
- Onboard outlet for daisy-chaining up to 3 units
- Lightweight, compact and stackable
- Optional trolley kit with wheels and retractable handle for easy transport
- Thermally protected motor
- 21 foot power cord (6.5 m)



WP630™

Flood Restoration Pumper

- Dual 3-stage vac motors
- Auto dumps 10.5 GPM with twin bilge pumps
- 50 foot discharge hose



MC1200™

Dual Purpose Multi-Surface Cleaner

- 1,200 psi for hard floor, 500 psi for carpet
- 16 gallon solution tank
- Single 3-stage vac motor, 140 inch waterlift
- Circuit finder light
- Auto fill and auto dump
- 2,000 watt heater for carpet
- Built-in hose reel
- Includes 25 foot solution/vacuum hose, Evolution wand and Hard Surface Turbo Tool



OZ40K™

Ozone Generator

- Treats up to 40,000 sq. ft.
- 30 hour programmable timer
- Severe applications transformer
- Maintenance free corona discharge system



Terra® 28B

Walk-Behind Sweeper

- 28 inch sweep path
- Maintenance free gel battery standard
- Half as loud as most vacuums at 59 dB A
- Standard onboard battery charger
- Tools-free removable brooms and hopper
- Rugged construction for carpet or hard floor applications



SW900™

Walk-Behind Sweeper

- 33 inch sweep path
- Independent side broom control on handle
- Direct throw sweeper design
- Superior dust control
- Battery operated with up to 3 hours of run-time on a single charge
- Standard onboard battery charger
- Tools-free removable brooms and hopper
- Rugged construction for carpet or hard floor applications



Terra® 4300B

Rider Sweeper

- 46 inch sweep path, battery operated
- Simple, ergonomic and intuitive operator interface
- 20% gradeability while sweeping
- Rugged construction for carpet or hard floor applications

Floor Machines & Burnishers



Pacesetter™ 20TS

Two-Speed Floor Machine

- Versatile 20 inch two-speed floor machine
- 1.5 hp DC motor
- 66 frame motors run at 180 and 320 rpm
- Ergonomic molded handles for safety and comfort
- Pad driver included



Pacesetter™ 17HD/20HD/20SD

Floor Machines

- Available in both 17 inch and 20 inch cleaning path sizes
- 17HD and 20HD have 1.5 hp, 66 frame motors at 175 rpm
- 20SD is 20 inches with 1.75 hp, 66 frame motor at 175 rpm
- Ergonomic molded handles for safety and comfort
- Pad driver included



FM810™ ST & XP

Orbital Floor Machines

- 1.5 hp heavy duty motor driving a 3,540 rpm orbital deck
- 20 x 14 inch cleaning path
- Includes weight kit consisting of three 21 lb weights
- Quiet, low vibration design at 68 dB A
- Switchable wheels-up/wheels-down modes (XP model)
- Baseboard cleaner standard (XP model)
- Detachable handle standard (XP model)
- 160 lb of down pressure
- Chemical-free floor stripping
- 50 foot, 14/3 safety yellow power cord
- Dust containment kit, solution tank kit, various scrub pads and sand screens available



Advolution™ 20

Cord-Electric Burnisher

- 20 inch burnishing path, 1,500 r.p.m.
- Flex Floor Technology for consistent even shine even on unlevel floors
- Patented gas spring provides optimal head pressure for maximum gloss performance
- EZ Store™ folding handle
- Rotating cord hook
- 75 foot safety yellow cord with hospital grade plug



Advolution™ 20XP

Cord-Electric Burnisher

- 20 inch burnishing path, 2,000 r.p.m. with dust control
- Flex Floor Technology for consistent even shine even on unlevel floors
- Patented gas spring provides optimal head pressure for maximum gloss performance
- EZ Store™ folding handle
- Rotating cord hook
- 75 foot safety yellow cord with hospital grade plug
- Dual Port Dust Bag





BU800™ 20B & 20BT

Battery-Powered Burnishers

- Pad assist model 20B or powered traction model 20BT available
- Flex Floor Technology for consistent, even shine even on unlevel floors
- Best passive dust control in the market, which helps improve indoor air quality
- Safety switch in pad change position
- Onboard battery charger standard
- Optional active dust control is available with the addition of an Adgility hip-style vacuum to the front of the machine



Advolution™ 2710

Battery-Powered Rider Burnisher

- Ultra high productivity, six 6 Volt/395 Ah batteries
- 1,750 rpm, 3.25 hp motor produces an exceptional shine
- One-Touch™ burnishing with three pad pressure settings
- Passive dust control standard; active dust control optional for added filtration



PBU Series 21 & 27

Propane Burnishers

- 21 inch and 27 inch size configuration
- Powerful 603cc Kawasaki V-Twin engines
- Rugged one piece cast deck & frame - powder coat finish resists damage
- 80% safety fill type propane tank
- Easy access to change pads
- Optional Dust Control models with electric clutch and CARB Gard™ monitor emissions
- The operator throttle is conveniently located on the handle
- Ergonomic handle for operator comfort



Walk-Behind & Stand-On Automatic Scrubbers



SC100™

Upright Scrubber

- 12.2 inch scrub path
- Cylindrical scrub brush operates at 2,100 rpm
- Forward and reverse solution recovery
- Solution tank dispenses only clean solution
- 0.8 gallon solution tank
- 1 gallon recovery tank
- Simple and intuitive controls
- Ergonomic handle for easy operations
- 4 inch cleaning clearance
- Optional carpet kit



SC250™

Battery Micro Scrubber

- 13.5 inch scrub path
- 1.6 gallon solution tank and recovery tank
- Front squeegee can be raised to pick up small debris while scrubbing
- Adjustable brush pressure knob to optimize required cleaning intensity
- Recovery tank and battery covers are magnetically secured, allowing easy removal and replacement
- Easy to maintain with tools-free brush and squeegee removal



SC351™

Battery Operated Micro Scrubber

- 14.5 inch scrubbing width
- Patented rotating deck with integrated squeegee allows for forward and backward scrubbing
- Simple and intuitive controls
- Four operating modes
- Compact design and foldable handle for easy storage
- Best in class 64 dB A sound level
- "Lift-out" solution and recovery tanks
- 2.5 gallon solution tank
- 3 gallon recovery tank



SC400™

Automatic Scrubber

- 17 inch scrubbing width
- Click-off/Click-on scrub heads
- Smart Solutions™ solution control
- 6 gallon solution and recovery tanks
- Simple, intuitive controls
- Offset and low profile scrub head for superior edge cleaning
- Center-pivot squeegee system
- Foot-activated squeegee lift
- "Break-away" rear squeegee
- Brush holder on the front of the machine enables ease of transport



SC450™

Automatic Scrubbers

- 20 inch disc scrub path
- 10.5 gallon solution tank
- 11.9 gallon recovery tank
- Onboard Battery Charger
- Tools-free removal of squeegee and squeegee blades
- Wrap-around ergonomic handle system provides operator comfort
- Variable pad driven assistance
- Center-pivot designed squeegees provide 100% water pickup on turns
- Safety on/off switch is located on the handle for operator convenience

ecoflex™ system



SC1500™ REV™ & Disc

Stand-On Scrubbers

- 20 inch scrub path
- Dual Random Orbital Scrubbing technology or traditional disc
- Extremely maneuverable and compact
- EcoFlex™ System standard
- Two scrub pressures up to 75 lb for disc, 88 lb for REV™
- Quiet mode for daytime cleaning
- 12 gallon solution and 12.5 gallon recovery tank
- Debris catch cage standard
- Onboard charger standard



ecoflex™ system



SC500™ Disc & REV™

Automatic Scrubbers

- 20 inch dual random orbital scrubbing technology or traditional disc pad or brush
- Multifunction display with One-Touch control panel
- SmartFlow™ Technology standard
- Optional EcoFlex™ System
- Two scrub pressures up to 66 lb (33 kg)
- One pass, uniform floor finish removal
- 12 gallon solution and recovery tanks
- Super quiet for daytime operation
- Traction drive
- Onboard charger

Walk-Behind & Stand-On Automatic Scrubbers



Adfinity™ X20C & X24D

Automatic Scrubbers

- 20 inch cylindrical or 24 inch disc scrub paths, with traction drive
- 14.5 gallon solution and recovery tanks
- Smart Solutions™ flow rate
- EcoFlex™ System
- Onboard battery charger
- Variable pad pressure
- Interchangeable scrub decks
- Tools-free removal of squeegee and squeegee blades



SC750™ & SC800™

Automatic Scrubbers

- Available in 26, 28 or 34 inch disc and 28 inch cylindrical scrub paths
- Smart Solutions or EcoFlex™ System on all machines
- Green cleaning and high productivity technology
- SC750 with 21 gallon solution and recovery tanks
- SC800 with 25 gallon solution and recovery tanks
- Self adjusting skirt on disc machines
- Heavy duty scrubbing performance



SC750™ REV™

Dual Random Orbital Floor Scrubber

- 28 inch disc scrub path
- Dual random orbital scrubbing technology
- EcoFlex™ System
- Ultra low flow rate for high productivity
- 3.5 hours of scrubbing on a single tank max
- One-Touch™ scrubbing
- 170 pounds of down pressure max
- Onboard charger
- 21 gallon (80 L) tanks



SC900™

Automatic Scrubbers

- Available in 28 and 34 inch disc or 32 inch cylindrical scrub paths
- 30 gallon solution tank
- 32 gallon recovery tank
- Minimal electronics for increased reliability and lower total cost of ownership
- Control board-free design eliminates costly repairs
- Mechanical scrub and vacuum levers
- Thumb controlled cruise control
- Simplified user interface



Rider Scrubbers



ecoflex™ system

SC2000™

Micro Rider Scrubber

- 20 inch scrub path
- SmartFlow technology
- Standard EcoFlex™ System
- Multifunction display with One-Touch control panel
- Two scrub pressures up to 66 lb
- 18.5 gallon solution and recovery tanks
- 68 and 62 dB A sound levels
- Integrated squeegee hanger
- Debris catch cage
- Onboard charger standard



ecoflex™ system

Advenger®

Rider Automatic Scrubbers

- Tools-free interchangeable scrubs decks – 28 inch (71 cm) REV™, 28 inch (71 cm) and 34 inch (86 cm) disc, and 28 inch (71 cm) cylindrical
- Dual Random Orbit Scrubbing Technology – REV™ model
- One pass, uniform floor finish removal – REV™ model
- EcoFlex™ System reduces environmental impact and detergent costs
- Standard low-flow scrubbing mode
- 28 gallon (106 L) solution tank and 29 gallon (110 L) recovery tank with Total Clean® technology
- One-Touch™ scrubbing with calibrated brush pressure and solution flow



ecoflex™ system

SC3000™

Compact Rider Scrubber

- 26 inch scrub path
- SafetyGlide™ deck automatically moves in the direction of turn
- Standard EcoFlex™ System reduces environmental impact and detergent costs
- 21 gallon solution and recovery tanks
- 65 and 61 dB A sound levels
- Integrated squeegee hanger
- Debris catch cage
- Onboard charger standard



2800 ST & 3400 ST

Rider Scrubbers

- Available with 28 inch (71 cm) and 34 inch (86 cm) scrub decks
- 28 gallon (106 L) solution tank and 29 gallon (110 L) recovery tank with Total Clean® technology
- Manual control of the scrub deck and rear squeegee eliminates complicated control boards
- Simplified one button control panel with minimal electronics



ecoflex™ system

Adressor®

Rider Automatic Scrubbers

- Available in 32, 35 or 38 inch disc and cylindrical scrub paths
- Easy to clean 42 gallon solution and recovery tanks
- 36 Volt battery system
- Rugged design with heavy gauge steel chassis and metal bumper
- Optional EcoFlex™ System reduces environmental impact and detergent costs
- Battery watering system standard on EcoFlex System models; Kit available as an option on non EcoFlex System machine

All-Purpose Cleaners, Wet/Dry Vacuums & Specialty Products



All Cleaner™ XP

All-Purpose Cleaner

- Compact and maneuverable
- 20 gallon solution tank
- 12 gallon recovery tank
- 2 chemical metering system with universal chemical storage
- 500 psi application flow
- Optional front mount squeegee for easy water pick-up
- Simple storage for recovery and solution hose
- Removable pallette contains all electrical components



Reel Cleaner®

All-Purpose Cleaner

- 25 gallon clean water tank
- Onboard storage for standard accessories
- Any shape chemical bottle fits on the machine
- Clean water gauge for emptying and monitoring tank
- Clam-shell design for ease of servicing
- 2 chemical metering system
- Low profile and compact design for ease of transporting



Adphibian™

Multi-Surface Extractor-Scrubber

- Full function extractor and scrubber with AXP™ Onboard Detergent Dispensing System
- Single deck, less than 30 seconds to change from extracting to scrubbing
- CRI SOA Approved Deep Cleaning Extractor in both *LIFT™* low-moisture and restoration cleaning modes
- *LIFT™* Technology for low-moisture cleaning
- Dual, anti-microbial counter rotating brushes with debris collection hopper
- Brushes, squeegee and vacuum shoes are removable without tools



Dust Magnet™

Dry Dust Mopping Systems

- Dry dusting system uses disposable dusting sheets
- Super lightweight aluminum system
- Simple static electricity attracts dust and holds it
- 23, 46 and 59 inch wide cleaning path options
- Sheets come in convenient pre-cut boxes of 200, or a continuous roll of 100 sheets



VL500™

Wet/Dry Tank Vacuums

- Available in 9, 14 and 19 gallon tank sizes
- Unique filter system protects the motor from water, while ensuring complete wet and dry filtration
- Front mount squeegee standard on VL500-75 optional on VL500-55
- Patent pending ERGO "tip n pour" design is available on VL500-75 and standard "tip n pour" is available on the VL500-55
- Powerful 1,100 Watt motor, 101 CFM
- 50 foot power cord
- Features a variety of standard and optional accessories, including: hose, wand, squeegee floor tool, brush floor tool, crevice tool, dusting tool and front-mounted squeegee





Quality

A quality approach to cleaning is the commitment we make to every one of our customers. Along with each machine comes pride, craftsmanship, innovative technology, professional expertise and an international network of parts, maintenance and service support professionals.

Reducing the Cost to Clean

Every aspect of our business revolves around creating cleaning solutions that generate superior cleaning results, increase productivity and reduce the cost of ownership. The result is superior cleaning products that drive down the cost of cleaning. The pride we take in production and service will become your pride of ownership when you buy Advance equipment. – *At Advance, we are defining cleaning innovation.*

Sustainability

Nilfisk, Inc.'s fundamental attitude to the working environment and pollution is in accordance with the first principle of the United Nations conference declaration on Environment and Development (Rio, 1992): "People are entitled to a healthy and productive life in harmony with nature."

Parts

Keeping your equipment working effectively is essential for superior cleaning. Advance provides manufacturing parts and components through Nilfisk Parts to help keep your Advance products working at peak performance. Our parts are designed and built for our machines so they can be counted on to maintain our machines. They are value priced and quality built. By choosing Nilfisk Parts, you can be certain you're getting the quality part you need for your machine.

Leasing Program

Advance has relationships with three leasing companies a Dealer may utilize to help its customers purchase Advance cleaning equipment. These leasing partners can provide end-customers with convenient, flexible, competitive-rate financing designed specifically for them. To learn how offering equipment leasing can benefit the Dealership, contact the Company's leasing partners below.

LEAF, Inc.

Bill Bagnell

855-444-2305

www.LEAFnow.com

All Lines Leasing

Duncan Leighton

800-477-5855

www.all-linesleasing.com

Marlin Leasing

Scott Deadrick

856-505-4386

www.marlintoolkit.com/nilfisk-advance



Advance products are manufactured by Nilfisk, Inc., the world's largest designer and manufacturer of high quality commercial and industrial floor maintenance equipment.

9435 Winnetka Avenue North
Brooklyn Park, MN 55445
www.advance-us.com
Phone 800-850-5559
Fax 800-989-6566

240 Superior Boulevard
Mississauga, Ontario, Canada L5T 2L2
www.nilfisk-advance.ca
Phone 800-668-8400
Fax 800-263-5111

