

6150

Power Sweeper



OPTIONS PARTS LIST

After Serial Number 630950

American-Lincoln Models: 576-500, 576-500CE, 576-502, 576-502CE, 576-503, 576-503CE, 576-504, 576-504CE, 576-505, 576-505CE, 576-506, 576-506CE, 576-507, 576-508

American-Lincoln®

06-5	TABLE OF CONTENTS			
08-7	6150 - OPTIONS			1

DESCRIPTION

Page

IC and Battery model common options

Amber Strobe Light W/ Overhead Guard	2
Amber Strobe Light W/O Overhead Guard	3
Back-Up Alarm Option	5
Brake Light Option	7
Broom Options	8
Left Hand Side Broom Option (Before December 2006)	11-13
Left Hand Side Broom Option (After November 2006)	15
Seat Belt Option	9
Seat-Suspension Option	16
Stainless Steel Hopper Option	17
Tire Options	19
Wet-Sweep Bypass	20-21

IC model only options

Clogged Filter Indicator Option (IC models only)	22
High Torque Motor (2-Cyl Gas/LP) Option (IC models only)	24
High Torque Motor (3-Cyl Gas/LP/Diesel) Option (IC models only)	25
Hopper Temperature Option (IC models only)	27
LP Option (IC models only)	31
LP Option Tank Assembly (IC models only)	33
Overhead Guard Option (IC models only)	34
Rear Work Light Option (IC models only)	36
Spare Parts Kits	38-39
Turn Signal Option (IC models only)	41
Vac Wand Option (IC models only)	43


Battery model only options

Battery Option (Battery models only)	46
Clogged Filter Indicator Option (Battery models only)	23
Hopper Temperature Option (Battery models only)	29
Overhead Guard Option (Battery models only)	35
Rear Work Light Option (Battery models only)	37
Spare Parts Kits	38
Vac Wand Option (Battery models only)	45

WHEN ORDERING PARTS

- * Use the numbers from the "Ref. No." columns in this parts list.
- * Specify the model and serial number of the machine.
- * Use the space below to record the model and serial number for future reference.

Model _____ Serial No. _____



OPTION NO. 0880-651

Item	Ref. No.	Qty	Description
1	8-40-05036	1	Strobe-Amber (12 To 80 Vdc)
2	8-58-05228	1	Plate - Flasher Mounting
3	56109253	1	Harness, Warning Light
4	2-00-04602	1	Clamp
5	2-00-05261	4	Nutsert, 1/4-20
6	2-00-00491	1	Grommet
7	56462360	1	Shroud, Delphi . W.P. 2 Way
8	2-00-00221	4	Bolt-Hex Head, Finished, 1/4-20x3/4lg

HARDWARE USED:

H12	2-00-01246	2	Nut-#10-24 Elastic Stop Nut
H72	2-00-00518	4	Washer,Lock,1/4" Helical Spring
H100	2-00-03062	2	Screw, #10-24 x 5/8 LG


06-5

AMBER STROBE LIGHT w/o OVERHEAD GUARD

08-7

6150 - OPTIONS

3





OPTION NO. 0880-652

Item	Ref. No.	Qty	Description
1	8-81-00173	1	Light Pole
2	8-40-05036	1	Strobe - 12 - 48VDC Amber
3	2-00-05347	2	Threaded Insert- 3/8 - 16
4	56109254	1	Harness, Warning Light
5	56462360	1	Shroud, Delphi W.P. 2 Way
7	2-00-05134	4	Plug Button

HARDWARE USED:

H12	2-00-01246	2	Nut, Hex Fiber Insert #10-24
H48	2-00-00233	2	Screw, 3/8-15 x 1.000 HHC
H100	2-00-03062	2	Screw, #10-24 x .625 THM

FORM NO. 56042482




C-1264

OPTION NO. 0880-650

Item	Ref. No.	Qty	Description
1	8-11-00044	1	Cap - (Boot) - Instrument Panel
2	8-64-00008	1	Circuit Breaker (10 Amp)
3	2-00-00501	1	Washer, Internal Lock
4	8-82-00058	1	Switch
5	8-08-00845	1	Bracket - Switch
6	8-32-09009	1	Alarm - Back Up
7	2-00-00828	Ref.	Ring Terminal
8	2-00-05261	2	1/4-20 Insert
9	8-90-07434	1	Wing Wire
10	8-11-00015	1	Terminal
11	2-00-04742	2	Terminal
12	2-00-04626	1	Terminal
13	2-00-04578	1	Terminal Male Bullet
14	2-00-00828	1	Ring Terminal

HARDWARE USED:

H2	2-00-00455	2	Flat Washer, .375 x .156 x .047
H15	2-00-00221	2	Screw, 1/4-20 x .750 HHC
H26	2-00-00641	2	Nut, 1/4-20, Insert Fiber
H27	2-00-03702	2	Washer, .625 x .281 x .063
H28	2-00-04685	2	Screw, 1/4-20 x .750 HHC
H30	2-00-04687	2	Lock Washer, Helical Spring, 1/4 Med.
H89	2-00-01372	2	Nut, Fiber Insert #8-32 Steel
H121	2-00-00090	2	Screw, #8-32 x 1.500 RHM



06-5	BRAKE LIGHT OPTION			
08-7	6150 - OPTIONS			7


OPTION NO. 0880-649

Item	Ref. No.	Qty	Description
1	8-82-00058	1	Switch
4	2-00-00491	1	Grommet
5	8-08-00845	1	Bracket, Brake Switch
11	2-00-05261	2	1/4-20 Insert
14	2-00-00602	4	Nut


HARDWARE USED:

H2	2-00-00455	2	Flat Washer, .375 x .156 x .047
H28	2-00-04685	2	Screw, 1/4 - 20 x .750
H30	2-00-04687	2	Lock Washer, Helical Spring 1/4 Med.
H89	2-00-01372	2	Nut, Fiber Insert #8-32 Steel
H121	2-00-00090	2	Screw, #8-32 x 1.500 RHM

			BROOM OPTIONS	06-5
8			6150 - OPTIONS	



Item	Ref. No.	Qty	Description
Main Brooms:			
1	8-08-03225	1	Proex and Wire
1	8-08-03224	1	Proex
1	8-08-03226	1	Nylon (Herringbone Pattern)
1	8-08-03227	1	Nylon, High Density
1	8-08-03228	1	Fiber and Wire, High Density
Side Brooms:			
2	8-08-03211	1	Nylon (Standard)
2	8-08-03212	1	Polypropylene
2	8-08-03199	1	Wire



OPTION NO. 0880-723

Item	Ref. No.	Qty	Description
1	56109301	1	Seatbelt, 60" NOTE 1
2	2-00-03589	2	Bushing

NOTE 1: Mounting hardware is included with the Seatbelt 56109301.





06-5	LEFT HAND SIDE BROOM OPTION (before December 2006)			
07-2	6150 - OPTIONS			11

OPTION NO. 0880-659

Item	Ref. No.	Qty	Description
1	8-08-00839	1	Bracket - Side Broom
2	8-08-00790	1	Bracket - Side Broom
3	7-76-00101	2	Spring
4	8-08-00846	1	Pivot Bracket - Side Broom
5	2-95-04182	13	Nut, Elastic Stop Nut
6	7-09-01057	2	Bushing
9	8-42-05136	2	Link - Side Broom
10	8-10-00041	1	Cable
11	8-16-05019	1	Turnbuckle
12	8-10-00043	1	Cable
13	7-76-00102	2	Spring
14	8-10-00041	Ref.	Cable
15	0882-050	1	Side Broom Motor
16	8-55-08122	1	Pin - Side Broom - Flange
17	8-08-03211	1	Side Broom
18	2-00-04921	2	Fitting
19	8-33-09091	1	Hub - Side Broom - Weldment

HARDWARE USED:

H19	2-00-02587	2	Screw, 1/4-20 x 1.250 HHC
H25	2-00-00594	2	Nut, Hex 1/4-20 x 1.250 HHC
H26	2-00-00641	2	Nut, 1/4 Insert Fiber
H35	2-00-02708	1	Screw, 5/16-18 x 1.000 HHM
H37	2-00-00207	2	Screw, 5/16-18 x 1.250 HHC
H43	2-00-00409	4	Flat Washer, .687 x .344 x .062
H45	2-00-00585	2	Nut, Hex. 5/16-18 x .500 x .265
H46	2-00-00644	8	Nut, 5/16-18, Insert Fiber
H47	2-00-00232	4	Screw, 3/8-16 x .750 HHC
H48	2-00-00233	5	Screw, 3/8-16 x 1.000 HHC
H49	2-00-00209	11	Screw, 3/8-16 x 1.250 HHC
H52	2-00-00402	1	Flat Washer, .750 x .390 x .094
H53	2-00-02310	4	Lock Washer, Helical Spring, 3/8 Med.
H54	2-00-02360	2	Nut, 3/8-16 Hex.
H84	2-00-00228	3	Screw, 5/16-18 x 2.250 HHC
H173	2-00-02709	2	Screw, 5/16-18 x 1.500



C1268B/9803


06-5	LEFT HAND SIDE BROOM OPTION (cont.) (before December 2006)			
07-2	6150 - OPTIONS			13

OPTION NO. 0880-659

Item	Ref. No.	Qty	Description
1	7-60-00160	5	Pulley
2	7-13-07130	5	Clip
3	2-00-05253	3	Hose Clamp
4	2-00-05347	4	THD Insert 3/8-16
5	2-95-04182	1	Fiber Nut
6	2-00-04987	1	Fitting - 8ORS Straight Union
7	8-33-02326	1	Hose
8	8-33-02327	1	Hose - HYD - #8 x 72
9	2-00-04683	3	Flat Washer, 3/8
10	2-00-04689	2	Washer, 11/16 x .260 x .050

HARDWARE USED:


H27	2-00-03702	3	Washer, .625 x .281 x .063
H34	2-00-00208	2	Screw, 5/16-18 x .750 HHC
H36	2-00-00196	1	Carriage Bolt, 5/16-18 x 1.000
H46	2-00-00644	3	Nut, 5/16-18 Insert Fiber
H50	2-00-00234	3	Screw, 3/8-16 x 1.500 HHC
H51	2-00-00216	2	Screw, 3/8-16 x 2.000 HHC
H53	2-00-02310	4	Lock Washer, Helical Spring, 3/8 Med.



06-5	LEFT HAND SIDE BROOM OPTION (after November 2006)			
07-2	6150 - OPTIONS			15

OPTION NO. 0880-659

Item	Ref. No.	Qty	Description
1	2-00-00209	10	Bolt, Hex Head, 3/8-16 X 1.25"
2	2-00-00216	2	Bolt, Hex Head, 3/8-16 X 2"
3	2-00-00218	3	Bolt-Hex Head, 5/16-18
4	2-00-00232	4	Bolt-Hex Head, Finished, 3/8-16
5	2-00-00233	3	Bolt-Hex Head, Finished, 3/8-16 X 1.00
6	2-00-00234	3	Screw, 3/8-16 X 1-1/2 HHC
7	2-00-00402	2	Washer, 25/64" ID X 3/4" OD
8	2-00-00409	4	Flat Washer, .687 X .344 X .062
9	2-00-00585	1	5/16-18, Hex Nut
10	2-00-00586	1	Nut, Jam 5/16-18
11	2-00-00644	5	Nut, Hex, Insert Fiber, 5/16-18
12	2-00-00646	1	Locknut-Elastic, 5/16-18
13	2-00-02310	9	Washer-Lock, 3/8", Helical Spring
14	2-00-02360	2	Nut, Hex, 3/8-16
15	2-00-02708	1	Screw, Hex Head, 5/16-18 X 1.00"
16	2-00-02709	1	Screw, 5/16-18 X 1.50 Lg, Full Thread, HHC
17	2-00-04921	2	Fitting-10sae 90° - 8ORS
18	2-00-04987	1	Fitting, -08 Orfs Nipple
19	2-00-05347	2	Threaded Insert 3-8-16
20	2-00-05356	1	5/18 X 1.25", Hex Head Screw
21	2-95-04182	11	Nut, Hex, Stop, 3/8-16
22	2-95-04689	7	Washer-Axle
23	7-13-07130	4	Clip, Cable
24	7-60-00160	5	Pulley-Cable
25	7-76-00101	2	Spring-Brush Load
26	8-08-00773	1	Broom Lift-Mb-Sb Weldment
27	8-08-00790	1	Bracket-Side Broom
28	8-08-00839	1	Bracket, Side Broom
29	8-08-00846	1	Bracket-Pivot-Side Broom
30	8-08-00866	1	Brkt-Angle Adj-Sb (Welded)
31	8-08-03211	1	Side Broom-Nylon
32	8-10-00043	1	Cable-Side Broom (LH)
35	8-33-02192	1	Hose #8 Str-Str,13/16-16 Both Ends, 80"Lg
36	8-33-02326	1	Hose #8 Str-Str,13/16-16 Both Ends,34.5 Lg
37	8-33-09091	1	Hub-Side Broom
38	8-42-05136	1	Link-Side Broom Lift
39	8-42-05136-1	1	Link, Side Broom Lift
40	8-55-08122	1	Pin-Safety Snap
41	0882-050	1	Motor, Hydraulic
42	56109160	1	Rod, Threaded
43	56109172	1	Yoke, Clevis
44	56109182	1	Spring, Extension
45	56109270	1	Cable-Side Broom (Left Side)
46	56407133	1	Yoke, Clevis




NOTE: DO NOT USE SEAT MOUNTED
SEATBELT ON THIS MACHINE

OPTION NO. 0880-733

Item	Ref. No.	Qty	Description
1	8-69-00019	1	Seat, Suspension

HARDWARE USED:

H46	2-00-00644	4	Nut, 5/16-18 Fiber Insert
-----	------------	---	---------------------------




OPTION NO. 0780-669




Item	Ref. No.	Qty	Description
1	8-32-06104-2	1	Hopper (Weldment)
2	8-13-07138-1	1	Clamp, Hopper Flap
3	8-05-01003-1	1	Baffle, Hopper Air
4	8-05-01002-1	1	Baffle, Hopper Air
5	8-19-08066-1	1	Door, Hopper Dump
6	8-13-07140-2	2	Clamp, Dump Seal
7	8-13-07141-1	2	Clamp, Dump Door

In lieu of standard parts 8-32-06104, 8-13-07138, 8-05-01003, 8-05-01002, 8-19-08066, 8-13-07140, 8-13-07141



			TIRE OPTIONS	06-5
18			6150 - OPTIONS	09-2



0780-664



0780-665
0780-666



06-5	TIRE OPTIONS			
09-2	6150 - OPTIONS			19

***OPTION NO. 0780-664**

Item	Ref. No.	Qty	Description
1	8-89-08082	3	Wheel Assy., Pneumatic Foam-filled

***Service Parts**

7-65-05021	Rim Assy. (4 x 8 x 3.75)
8-85-06025	Tire Only (4.8 X 8)
8-70-00093	Tube
7-18-00159	Decal, Pneumatic Wheel Warning

~OPTION NO. 0780-665

Item	Ref. No.	Qty	Description
1	8-89-08078	3	Wheel Assy., Solid Pneum. Soft Shoe Lug Tread

~Service Parts

#	7-65-05021	1	Rim Assy. (4 x 8 x 3.75)
#	8-85-06024	1	Tire Only


= Revised or new since last update

#OPTION NO. 0780-666

Item	Ref. No.	Qty	Description
1	8-89-08086	3	Wheel Assy., Solid Pneum. Non-Mark Lug Tread

#Service Parts

7-65-05021	Rim Assy. (4 x 8 x 3.75)
8-85-06028	Tire Only




OPTION NO 0880-755

Item	Ref. No.	Qty	Description
1	56109173	1	Bracket, Solenoid
2	0875-117	1	Diode Assembly
3	2-00-00220	2	Screw - 1/4-20 X .625 Hhc
4	2-00-00518	2	Washer, Lock, 1/4" Helical Spring
5	2-00-02589	2	Bolt-Hex Head, Finished, 1/4-20
6	2-00-03418	2	Terminal-.25 Fiso Female
7	2-00-04924	2	Fitting- 3/4-16 X 13/16-16 Tee
8	2-00-05046	1	Fitting, -8 Ors Swivel 90 Elbow
9	7-88-00038	1	Valve, Solenoid No
10	8-08-00590	1	Bracket, Solenoid Valve
11	8-33-02193	2	Hose, Ors -8, Str. X Str., 18-1/4" Long
12	8-82-00072	1	Switch



FORM NO. 56042482




OPTION NO. 0880-658

Item	Ref. No.	Qty	Description
1	8-63-05014	1	Switch
2	8-24-04075	1	Filter Plug
3	2-00-04518	1	Fitting - 1/8 NPT - 1/4 Tube
4	7-87-02155	1	Hose 3/8-8" LG
5	2-00-04345	10	TyRap
6	2-00-00838	1	Terminal - #10 Ring
7	3-61-00189	10'	Wire - 16 AWG Black Stranded
8	2-00-04578	1	.156 Male Bullet
9	2-00-04742	2	Terminal #6SS

HARDWARE USED:

H6	2-00-00049	2	Screw, 10-24 x 1.000 RHM
H12	2-00-01246	3	Nut, Hex Fiber Insert #10-24
H100	2-00-03062	1	Screw, #10-24 x .625 THM
H159	2-00-00512	1	Lock Washer




OPTION NO. 0880-677

Item	Ref. No.	Qty	Description
1	8-63-05014	1	Switch - Pressure Dif
2	8-24-04075	1	Filter Plug
3	2-00-04518	1	Fitting - 1/8 NPT - 1/4 Tube
4	7-87-02155	1	Hose 3/8-8" LG
5	2-00-04345	10	TyRap
6	2-00-00828	1	Terminal .25 Ring
7	3-61-00189	10'	Wire - 16 AWG Black Stranded
8	2-00-04578	1	.156 Male Bullet
9	2-00-04742	2	Terminal #6SS
10	2-00-033261	1	Grommet

HARDWARE USED:


H6	2-00-00049	2	Screw, 10-24 x 1.000 RHM
H12	2-00-01246	3	Nut, Hex Fiber Insert #10-24

			HIGH TORQUE DRIVE MOTOR (2 CYL GAS/LP) (IC models only)		06-5
24			6150 - OPTIONS		




OPTION NO. 0780-662

Item	Ref. No.	Qty	Description
1	0885-092	1	Motor, Hydraulic Drive
2	2-00-00776	1	Cotter Pin (1/8 Dia. x 1.50)




OPTION 0780-663

Item	Ref. No.	Qty	Description
1	0785-087	1	Motor, Hydraulic Drive
2	2-00-00776	1	Cotter Pin (1/8 dia. x 1.5")



ROUTE ALL WIRES ALONG EXISTING HARNESS & TIE TO IT WITH TIE-RAPS, ITEM #3

NOTE: CUT OFF WIRES 19A AND 21 FROM WET SWEEP BYPASS PLUG. STRIP, ADD TERMINALS, AND PLUG TOGETHER AS SHOWN.



C-1267

06-5	HOPPER TEMPERATURE OPTION (IC models only)			
09-2	6150 - OPTIONS			27



OPTION NO. 0880-657

Item	Ref. No.	Qty	Description
1	8-82-00056	1	Switch - Thermostat
2	8-90-07432	1	Wire Assembly
[3]#	2-00-04345	10	Ty Rap
4	8-08-00803	1	Temperature Switch Bracket
5	8-64-05009	1	Relay
7	7-88-00038	1	Valve - Solenoid - NO
[8]#	8-33-02193	2	Hydraulic Hose
11	8-09-01083	1	Bulk Head Connector
12	2-00-04626	3	Terminal .156 Female Bullet
15	3-61-00189	25'	Wire - 16 AWG Stranded Black
16	2-00-04708	1	Terminal .25 FISO
17#	2-00-03418	2	Terminal .25 FISO
18	2-00-04578	3	Terminal .156 Male Bullet
19	0875-117	1	Diode Assembly
20	2-00-00838	1	Terminal - #10 Ring
21	2-00-00220	2	Screw - 1/4-20 X .625 HHC
22	2-00-00221	1	Bolt-Hex Head, Finished, 1/4-20 x 3/4 Lg
23	2-00-04924	2	Fitting- 3/4-16 X 13/16-16 Tee
24	2-00-05046	1	Fitting, -8 ORS Swivel 90° Elbow
25	56109173	1	Bracket, Solenoid
[]#	7-33-02201	1	Hose-Hyd Ors 8 Str To Jic 8str
[]#	7-33-02205	1	Hose Hyd-8 Ors Str To 90

HARDWARE USED:

H12	2-00-01246	2	Nut, Hex Fiber Insert #10-24
H22	2-00-02589	2	Screw, 1/4-20 x 2.000 HHC
H26	2-00-00641	5	Nut, 1/4-20, Insert Fiber
H27	2-00-03702	3	Washer, .625 x .281 x .063
H100#	2-00-03062	3	Screw, #10-24 x .625 THM

= Revised or new since last update



06-5	HOPPER TEMPERATURE OPTION (Battery models only)			
08-7	6150 - OPTIONS			29

OPTION NO. 0880-679

Item	Ref. No.	Qty	Description
1	8-82-00056	1	Switch - Thermostat
2	8-90-07432	1	Wire Assembly
3	2-00-04345	10	Ty Rap
4	8-08-00803	1	Bracket - Temperature Switch
5	8-64-00019	1	Relay - 36V
6	2-00-04708	1	Terminal .25 FISO
7	2-00-03418	5	Terminal .25 FISO
8	2-00-04578	1	Terminal .156 Male Bullet
9	2-00-00838	1	Terminal #10 Ring
10	2-00-04626	2	Terminal .156 Female Bullet
11	8-09-01083	1	Bulk Head Connector
12	2-00-04479	1	Connector - 3-Way
13	2-00-01128	1	Butt Splice
14	3-61-00189	25'	Wire 16 AWG Stranded Black
15	2-00-03059	2	Scw-Ph. Thm #10-24 x .38 ZN

HARDWARE USED:

H12	2-00-01246	3	Nut, Hex Fiber Insert #10-24
H46	2-00-00644	1	Nut, 5/16-18, Insert Fiber
H34	2-00-00208	1	Screw, 5/16-18 x .750 HHC
H100	2-00-03062	3	Screw, #10-24 x .625 THM
H159	2-00-00512	1	Lock Washer

NOTE:
ROUTE & TIE WIRE GOING TO
THE VOLTAGE REGULATOR SO AS NOT TO
COME IN CONTACT WITH EXCESSIVE HEAT
USING ITEM #5 (NOT SHOWN)

ELECT SHUT OFF SOLENOID

WHEN REMOVING,
WATCH FOR THREE WASHERS.
DO NOT ALLOW TO
FALL INTO CARB.

VAC. SWITCH


ROUTE TO
LOW LP LIGHT
IN DASH

BLACK (22)


(23)

(20) PURPLE

VOLTAGE REGULATOR



DO NOT REINSTALL MOTOR HEAT SHIELD ON LP CONVERSION




06-5	LP OPTION (IC models only)			
08-7	6150 - OPTIONS			31

OPTION NO 0880-666

Item	Ref. No.	Qty	Description	NOLEE PART#
1	2-60-02301	1	Vacuum Switch	N3-0083
2	2-60-02315	1	Inline LP Lockoff	N3-0342
3		1	Brass Vac. Tee	N2-1001
4		1	Brass Vac. Adapter	N2-1017
5		1	Brass Vac. Adapter	N2-1003
6	2-60-02316	1	Beam 60	N19-7100
7		1	Reg Bracket	N5-0788
8		1	Brass Fuel Outlet Fitting	N2-1322
9		1	Hydrastate Relief Valve	N3-0038-1
10		3	Brass Fitting	N2-1107
11		1	Bulkhead	N3-0037
12		1	Brass Fitting	N2-1133
13		1	Fuel Adapter	N11-204-64
14		1	7141F Female Connector	N3-0042-1
15		1	Hose w/2 Swivel Ends	31"-N8-3001
16		1	Hose w.2 Swivel Ends	34"-N8-3001
17		1	½" Vapor Hose	N8-1005
18		1	¼" Vacuum Hose	N8-0007
*19	7-11-04036	1	Kit, Low LP Switch	
20	2-00-04479	1	Terminal, 3 way	
21	2-00-04742	2	Terminal	
22	3-61-00189	3 ft.	Wire, 16 AWG Black	
23	2-00-04284	1	Terminal - Ring	
24	2-00-04345	3	Tye-Rap	


American-Lincoln LP Kit Part No.: 8-11-04027 *Switch Kit (Item 19) must be ordered separately



06-5	LP OPTION TANK ASSEMBLY (IC models only)			
08-7	6150 - OPTIONS			33

OPTION NO 0880-666

Item	Ref. No.	Qty	Description
1	7-33-05123	1	Housing - LP Seat
2	56456590	1	LP Tank
3	8-16-07372	1	Cover - LP Tank
4	8-32-00044	Ref.	Hinge
5	8-13-07146	1	Clamp - LP Tank
6	8-50-05061	1	Pad - LP Tank
7	7-11-04035	1	Kit, Low LP Light
8	8-41-00064	Ref.	Stop - Seat Decl
9	2-00-01951	1	Carriage Bolt, 1/4-20 x 1.250
10	7-23-03048	Ref.	Spring Washer
11	2-00-05283	1	Hole Plug
12	2-00-05253	1	Clamp
13	2-00-00205	1	Screw, 1/4-20 x 1.000 HHC
14	2-00-00219	3	Screw, 1/4-20 x .500 HHC
15	2-00-00641	9	Nut, 1/4-20 Insert Fiber
16	2-00-03702	1	Washer, .625 x .281 x .063
17	2-00-02711	1	Screw, 5/16-18 x 2.750 HHM
18	2-00-03266	1	Washer
19	2-00-00222	1	Screw, 1/4-20 x 1.250 HHM
20	2-00-02310	1	Lock Washer, Helical Spring 3/8 Med.
21	2-00-02360	1	Nut, 3/8-16 Hex
22	2-00-00208	2	Screw-HHC 5/16-18 x .75
23	2-00-00644	2	Nut, 5/16-18 Insert Fiber
24	2-00-04190	7	Carriage Bolt, 1/4-20 x .630
25	2-00-00594	1	Nut, Hex 1/4-20 x .437 x .218




OPTION NO. 0880-642

Item	Ref. No.	Qty	Description
1	8-30-05174	1	Overhead Guard, Top Weld
2	8-30-05177	1	Overhead Guard, Leg Weld R.H.
3	8-30-05176	1	Overhead Guard, Leg Weld L.H.
4	2-00-05134	8	Plug Button
5	2-95-04182	8	Nut, Fiber
6	2-00-05347	4	THD Insert - 3/8

HARDWARE USED:

H48	2-00-00233	8	Screw, 3/8-16 x 1.000 HHC
H53	2-00-02310	4	Lock Washer, Helical Spring 3/8 Med.
H131	2-00-03855	4	Carriage Bolt, 3/8-16 x 1.000




OPTION NO. 0880-680

Item	Ref. No.	Qty	Description
1	8-30-05179	1	Overhead Guard Top Weldment
2	8-30-05177	1	Overhead Guard Leg Weldment - RH
3	8-30-05176	1	Overhead Guard Leg Weldment - LH
4	2-00-05134	8	Plug Button
5	2-95-04182	9	Fiber Nut
6	8-30-05178	1	OHG Gate
7	8-55-08122	1	Pin - Safety Snap
8	2-00-05347	4	THD Insert - 3/8
9	2-00-02603	1	Screw



HARDWARE USED:

H48	2-00-00233	8	Screw, 3/8-16 x 1.000 HHC
H52	2-00-00402	2	Flat Washer, .750 x .390 x .094
H53	2-00-02310	4	Lock Washer, Helical Spring 3/8 Med.
H131	2-00-03855	4	Carriage Bolt, 3/8-16 x 1.000



OPTION NO. 0880-646

Item	Ref. No.	Qty	Description
1	8-82-00072	1	Switch
2	8-41-03004	1	Lens - Work Light
3	8-40-05049	1	Light
4	3-61-02014	1	Covoluted Tube
5	8-64-00008	1	Circuit Breaker
6	2-00-05048	1	Ring Terminal .38
7	2-00-02303	1	Washer Internal Lock
8	2-00-04578	1	Terminal



OPTION NO. 0880-678

Item	Ref. No.	Qty	Description
1	3-61-02014	1	Convoluted Tube (6 ft.)
2	56416168	1	Lamp, 36 VDC
3	8-82-00072	1	Switch

			SPARE PARTS KITS	06-5
38			6150 - OPTIONS	08-7

0860-603 SPARE PARTS KIT - GAS & LP

Item	Ref. No.	Qty	Description
1	8-25-08212	2	Flap, Broom Door
2	8-25-08213	1	Flap, Broom Chamber (Outer)
3	8-25-08214	1	Flap, Broom Chamber (Inner)
4	8-29-00257	1	Gasket, Broom Door (LH)
5	8-29-00232	1	Gasket, Broom Door (RH)
6	8-29-00234	1	Gasket, Broom Door (LH)
7	8-29-00233	1	Gasket, Broom Door (RH)
8	8-29-00256	1	Gasket, Broom Door (RH)
9	8-25-08211	2	Flap, Wheel Well
10	8-68-05087	2	Seal, Dump Door (Sides)
11	8-68-05090	1	Seal, Broom Chamber/Dump Door
12	7-24-04014	1	Hydraulic Return Filter Element
13	8-24-04150	1	Engine Air Cleaner Element
14	8-24-04148	1	Hopper Panel Filter
15	8-24-04152	1	Engine Oil Filter

0860-604 SPARE PARTS KIT - DIESEL

Item	Ref. No.	Qty	Description
1	8-25-08212	2	Flap, Broom Door
2	8-25-08213	1	Flap, Broom Chamber (Outer)
3	8-25-08214	1	Flap, Broom Chamber (Inner)
4	8-29-00257	1	Gasket, Broom Door (LH)
5	8-29-00232	1	Gasket, Broom Door (RH)
6	8-29-00234	1	Gasket, Broom Door (LH)
7	8-29-00233	1	Gasket, Broom Door (RH)
8	8-29-00256	1	Gasket, Broom Door (RH)
9	8-25-08211	2	Flap, Wheel Well
10	8-68-05087	2	Seal, Dump Door (Sides)
11	8-68-05090	1	Seal, Broom Chamber/Dump Door
12	7-24-04014	1	Hydraulic Return Filter Element
13	7-24-04041	1	Air Filter (Kubota WG750B)
14	8-24-04148	1	Hopper Panel Filter
15	7-24-04040	1	Engine Oil Filter
16	7-24-04044	1	Fuel Filter
17	2-00-05181	1	Belt, Fan


0860-605 SPARE PARTS KIT - BATTERY

Item	Ref. No.	Qty	Description
1	8-25-08212	2	Flap, Broom Door
2	8-25-08213	1	Flap, Broom Chamber (Outer)
3	8-25-08214	1	Flap, Broom Chamber (Inner)
4	8-29-00257	1	Gasket, Broom Door (LH)
5	8-29-00232	1	Gasket, Broom Door (RH)
6	8-29-00234	1	Gasket, Broom Door (LH)
7	8-29-00233	1	Gasket, Broom Door (RH)
8	8-29-00256	1	Gasket, Broom Door (RH)
9	8-25-08211	2	Flap, Wheel Well
10	8-68-05087	2	Seal, Dump Door (Sides)
11	8-68-05090	1	Seal, Broom Chamber/Dump Door
12	7-24-04014	1	Hydraulic Return Filter Element
13	8-24-04148	1	Hopper Panel Filter

06-5	SPARE PARTS		
08-7	6150 - OPTIONS		39

ADDITIONAL SERVICE PARTS - KUBOTA 722 DIESEL

PART NUMBER	DESCRIPTION
7-29-00219	Kit, Upper Gasket
7-29-00221	Gasket, Valve Cover
7-29-00222	Gasket, Cylinder Head
7-84-08015	Thermostat
7-29-00196	Gasket, Thermostat
7-29-00197	Gasket, Water Pump
7-33-02287	Hose, Upper Radiator
7-33-02288	Hose, Lower Radiator
0775-201	Starter
7-74-00005	Solenoid, Starter
7-03-03007	Alternator
7-64-05014	Glow Plug
7-60-05021	Pump, Fuel Injection
7-50-01003	Fuel Injector
0769-013	Pump, Electric Fuel
7-49-00034	Muffler
7-29-00198	Gasket, Muffler
7-11-00039	Cap, Oil Fill
7-29-05040	Ring Gear
7-62-01004	Radiator Assembly
2-86-00407	Workshop (Service) Manual
2-86-00408	Operators Manual
2-86-00409	Parts Book




06-5	TURN SIGNAL OPTION (IC models only)			
07-10	6150 - OPTIONS			41

OPTION NO. 0880-648

Item	Ref. No.	Qty	Description
1	2-00-05093	2	Washer - Bevel
2	8-40-05023	2	Turn Light
[]	2-00-05291	A/R	Bulb, Turn Signal, Front (Service Part)
[]	8-41-03012	A/R	Lens, Turn Signal, Front (Service Part)
3	8-82-00025	1	Turn Signal Switch
4	8-41-03009	2	Lens, Turn Signal
[]	2-00-05292	A/R	Bulb, Turn Signal, Rear (Service Part)
5	2-00-03261	2	Grommet
6	56009039	2	Scr, Hex Thd Form 10-24 x .50

[] = Not Shown



06-5	VACUUM WAND OPTION (IC models only)		
07-2	6150 - OPTIONS		43


OPTION NO. 0880-643

Item	Ref. No.	Qty	Description
1	8-86-08010	1	Floor Tool
2	8-33-02121	1	Hose
3	8-08-00622	1	Bracket - Latch
4	8-08-00623	1	Bracket - Storage
5	8-89-00002	2	Wand Section
6	8-11-00034	3	Cap
7	3-73-00056	1	Gasket (6.5')
8	8-58-05784	1	Plate - Vac Wand
9	8-41-00044	2	Latch
10	7-29-00122	1	Gasket
11	2-00-01481	4	Screw, 5/16-18 x 1.000 Slotted
12	8-08-00590	1	Bracket
13	8-88-00044	1	Valve (Gas/LP/Diesel)
14	8-33-02176	1	Hose Assembly
15	8-82-00072	1	Switch
17	2-00-04479	2	Connector - 3-Way
18	0875-117	1	Diode Assembly
19	3-61-00189	81"	Wire - Bracket #16 AWG
20	2-00-03418	4	Terminal - .25 FISO
21	8-18-00432	1	Decal
22	8-18-00435	1	Decal
23	8-18-00436	1	Decal
24	56109173	1	Bracket, Solenoid
25	2-00-04926	2	Fitting-Elbow 9/16-18 x 9/16-18
26	2-00-00220	2	Screw - 1/4-20 x .625 HHC

HARDWARE USED:

H22	2-00-02589	2	Screw, 1/4-20 x 2.000 HHC
H26	2-00-00641	4	Nut, 1/4-20, Insert Fiber
H27	2-00-03702	2	Washer, .625 x .281 x .063
H46	2-00-00644	4	Nut, 5/16-18, Insert Fiber

			VAC WAND OPTION (Battery models only)	06-5
44			6150 - OPTIONS	07-2




06-5	VACUUM WAND OPTION (Battery models only)			
08-7	6150 - OPTIONS			45

OPTION NO. 0880-742 (BATTERY)

Item	Ref. No.	Qty	Description
1	8-86-08010	1	Floor Tool
2	8-33-02121	1	Hose
3	8-08-00622	1	Bracket - Latch
4	8-08-00623	1	Bracket - Storage
5	8-89-00002	2	Wand Section
6	8-11-00034	3	Cap
7	3-73-00056	1	Gasket (6.5')
8	8-58-05784	1	Plate - Vac Wand
9	8-41-00044	2	Latch
10	7-29-00122	1	Gasket
11	2-00-01481	4	Screw, 5/16-18 x 1.000 Slotted
15	8-82-00072	1	Switch

HARDWARE USED:

H46	2-00-00644	4	Nut, 5/16-18, Insert Fiber
-----	------------	---	----------------------------



C1293/9706

OPTION NO. 0880-703

Item	Ref. No.	Qty	Description
1	0875-071-2	6	Battery
2	0875-128	1	Assembly - Battery Connections
3	7-09-01046	2	Spacer
4	0875-139	2	Connector Assembly
5	8-75-01217	1	Spacer
6	8-75-01218	1	Spacer
7	7-90-07286	4	Battery Connector

HARDWARE USED:

H26	2-00-00641	2	Nut, 1/4-20 Insert Fiber
H169	2-00-02637	2	Screw, 1/4-20 x 2.750 HHC

American-Lincoln®

14600 21st Avenue North
Plymouth, MN 55447-3408
www.americanlincoln.com
Phone: 800-331-7692
Fax: 877-877-2586
©2009 American-Lincoln