

SR9772


Rider Tractor Scrubber



Smart cleaning.

A Nilfisk-Advance Brand

 **Advance**
Industrial Cleaning Equipment



New Holland TN-60 tractor provides a proven long life platform for the scrubber



Cab version offers air conditioning, heater, front and rear windshield wipers, electronic instrument panel and 16 manual gear forward / 16 gear reverse transmission



Comfortable command compartment with all the controls at your fingertips

SR9772 Rider Tractor Scrubber

Powerful, Aggressive Cleaning Features Include:

- Hydraulic brush and vacuum fan operation for trouble-free operation
- Up to 600 pounds of downward scrub brush pressure to clean the dirtiest surfaces
- Parabolic squeegee with break-away feature provides a dry clean surface

Large Capacity Features Include:

- Wide 72 inch scrub path - 44% wider than the competition; gets the job done faster
- Stainless steel 200 gallon solution and 210 gallon recovery tanks mean your operator spends more time cleaning and less time refilling
- Large cleanout doors and extra long drain hose make cleanup quick and easy

Ideal applications include:

- Airports
- Airlines
- Transit Garages
- Parking Garages
- Manufacturing Plants



Scrub brushes with 600 pounds of downward pressure provide the most aggressive cleaning possible



Parabolic squeegee provides superior water pickup even during the tightest turns

FEATURES AND BENEFITS

Productivity – Scrubs up to 2.5 acres per hour to make quick work of large areas. Parabolic squeegee with break-away feature leaves surfaces clean and dry. Scrubs large areas aggressively and quickly. Provides more productivity and less downtime because of the reliable tractor platform. Aggressive scrubbing system leaves surfaces clean.

Durability – Designed to be easy to maintain with open access to all critical systems. Rugged construction with durable components assures years of reliable performance.

Green Cleaning – Quiet, emissions friendly operation.

Technical Specifications

Model	SR9772
Scrub Path	72 in (182.9 cm)
Scrub Brush Pressure	600 lb (272 kg)
Solution Capacity	200 gal (756 L) stainless steel
Recovery Capacity	210 gal (794 L) stainless steel
Camel® Recycling Capacity	350 gal (1,323 L) stainless steel
Vacuum Fan	Hydraulically driven roton turbine
Brushes (4)	18 in (45 cm)
Vehicle Speed	0-16 mph (0-27 kph)
Tractor	New Holland Model TN-60
Diesel Engine	57 hp
Dimensions L x W	146 x 84 in (371 x 213 cm)
Height w/Rollbar	95 in (241 cm)
Height w/Rollbar Folded	72 in (183 cm)

Specifications are subject to change without notice.

Standard Features:

- Ergonomic operator's compartment
- All hydraulic systems and power steering
- Proven tractor chassis
- All steel construction
- Heavy-duty hydraulic system
- Parabolic break-away squeegee
- Stainless steel solution and recovery tanks
- Large easy-to-clean solution and recovery tanks
- Independent hydrostatic steering
- Excellent line-of-sight from operator's compartment

14600 21st Avenue North
Plymouth, MN 55447-3408
www.advance-us.com
Phone 800-214-7700
Fax 800-989-6566

240 Superior Boulevard
Mississauga, Ontario, Canada L5T 2L2
www.nilfisk-advance.com
Phone 800-668-8400
Fax 800-263-5111

Ask about our leasing options.

©2009 Nilfisk-Advance, Inc. Form L3053A 6-9-09



 **Advance**
Industrial Cleaning Equipment

A Nilfisk-Advance Brand

www.advance-us.com/industrial