

# Terra® 132B

## Walk-Behind Sweeper



## FACT SHEET



For sweeping inside a warehouse or sweeping outside your facility, the Terra® 132B walk-behind sweeper is the fastest, most reliable way to keep an area clean.

The Terra 132B sweeps a 32 inch (81.3 cm) path, and has a cleaning capacity up to 38,700 sq ft (3,596 m<sup>2</sup>) an hour.

All models have efficient two-stage dust control filter systems with a manual or optional electric shaker to clear the filter during cleaning. The over-throw design fully utilizes the hopper capacity, so it sweeps longer, with less time spent emptying.

This sweeper is light and easy to handle, with all controls conveniently located for the operator.

The Terra 132B comes standard with an onboard battery charger. This provides the flexibility to charge anywhere and at anytime.

Maintenance is easy too. The high-speed main broom, side broom and panel dust filter are all easy to change without the use of tools. Hood opens to give clear access to batteries and other service areas.

Check out the Terra 132B sweeper and get great performance while you clean up on savings.

### TYPICAL APPLICATIONS INCLUDE

- Sidewalks and Curbs
- Airports
- Factories
- Machine Shops
- Warehouses
- Congested Aisles

### STANDARD ACCESSORIES INCLUDE

- Onboard Battery Charger
- Roll-out hopper with wheels & integral handle
- Two-stage dust control filtration
- Variable speed self propulsion
- Rugged Roto molded body
- Mechanical Litter Flap

### OPTIONAL ACCESSORIES INCLUDE


- Various main & side brooms
- Electric filter shaker

*The Advance Terra® 132B, designed with Total Clean® Technology, is very comfortable and safe to use – by design. The result is increased productivity. The Advance Terra® 132B is also designed with features to make it easy to clean up and maintain after cleaning. That reduces the total cost of ownership and drives down the cost of cleaning.*



# Advance Terra® 132B

## Walk-Behind Sweeper



Both the main and side brooms remove and replace easily, without the use of tools



Two-stage dust control filtration. A panel filter, and a pre-filter to improve efficiency. Accessible without tools



Variable speed self propulsion improves ease of use and productivity



Hood lifts back permitting easy access for service or maintenance



### Industrial Strength Solutions...

- Our products are designed using innovative technology that increases productivity and drives down the cost to clean.
- You can get expert service and maintenance for your Advance machines from factory-trained personnel around the world. Fast parts delivery, too.
- Maintain peak performance with Nilfisk Genuine OEM Parts.

Nilfisk Genuine OEM Parts

Clean up to 38,700 sq ft (3,596 m<sup>2</sup>) per hour!

## Technical Specifications

<b>Sweeping Path</b>	32 in (81.3 cm)
<b>Main Broom</b>	24 in (61 cm) x 10.5 in (27 cm)
<b>Side Broom</b>	14 in (42 cm) diameter
<b>RPM</b>	400
<b>Hopper Capacity</b>	1.8 ft <sup>3</sup> (51 L)
<b>Dust Filter</b>	Resin-coated, pleated paper panel, 27 ft <sup>2</sup> (2.5 m <sup>2</sup> ) area
<b>Motor</b>	600 W
<b>Batteries</b>	Two 6 V, 242 Ah Wet Acid or Two 6 V, 180 Ah Maint.-Free (Gel)
<b>Max Speed</b>	2.8 mph (4.5 kph), forward only
<b>Weight</b>	
Machine only	(with onboard charger) 217 lb (98 kg)
Battery Weight	Two 6 V, 242 Ah wet – 132 lb (60 kg) or Two 6 V, 180 Ah maint-free (Gel) – 136 lb (61.6 kg)
<b>Battery Charger</b>	Standard onboard, 12V, 20 amp, wet/dry
<b>Part Numbers</b>	
Terra® 132B	56 102 248 w/(2) 6 V, 242 Ah Wet Acid batteries, 12 V 20 amp onboard charger
Terra® 132B	56 102 682 w/(2) 6 V, 180 Ah Gel batteries, 12 V 20 amp onboard charger

Specifications are subject to change without notice.



14600 21st Avenue North  
Plymouth, MN 55447-3408  
www.advance-us.com  
Phone: 800-214-7700  
Fax: 800-989-6566

240 Superior Boulevard  
Mississauga, Ontario, Canada L5T 2L2  
www.nilfisk-advance.com  
Phone: 905-564-1149 or 800-668-8400  
Fax: 905-564-1030 or 800-263-5111

©2010, Nilfisk-Advance, Inc.,  
Printed in U.S.A., Form L1423A, 5-10

